

2015 Statistical Report Howard County, MD

County accounted for 5.0% of human exposure calls to the Maryland Poison Center

Types of Calls

| Total human exposures | 1580 | Animal Exposures | 68 |
|-----------------------|------|-------------------|-----|
| < 12 months | 79 | | |
| 1 year | 157 | Information Calls | 302 |
| 2 years | 195 | | |
| 3 years | 87 | | |
| 4 years | 54 | | |
| 5 years | 38 | | |
| 6-12 years | 134 | | |
| 13-19 years | 212 | | |
| 20-59 years | 449 | | |
| >60 years | 161 | | |
| Unknown age | 14 | | |

Reason for exposure

Unintentional 1201 General 636 Environmental 44 Occupational 19 Therapeutic Error 290 Misuse 177 Bite or Sting 21 Food Poisoning 14 Unknown 0 Intentional 303 Suspected Suicide 191 Misuse 49 Abuse 48 Unknown 15 **76** Other Contamination/Tampering 6 Malicious 5 Adverse Reaction/Drug 36 Adverse Reaction/Other 17 Other/Unknown 12

Management Site

| On site/non Healthcare Facility Healthcare Facility Refused Referral Other Unknown | 1012 456 26 83 3 |
|--|------------------------------------|
| Medical Outcome | |
| No Effect Minor Effect Moderate Effect Major Effect Death Other/Unknown | 429 958 104 10 1 78 |

Maryland Poison Center 2015 Statistical Report (cont'd) Howard County, MD

Most common exposures, children under 6 years:

- 1. Cosmetics and personal care products
- 2. Household cleaning products
- 3. Analgesics (pain relievers)
- 4. Foreign bodies
- 5. Vitamins

Most common exposures, children 6-12 years:

- 1. Plants
- 2. Foreign bodies
- 3. Cosmetics and personal care products
- 4. Arts, crafts and office supplies
- 5. (tie) Antihistamines
 Heart medicines
 Household cleaning products

Most common exposures, children 13-19 years:

- 1. Analgesics (pain relievers)
- 2. Antidepressants
- 3. Stimulants and street drugs
- 4. Antihistamines
- 5. Sedatives and antipsychotics

Most common exposures, adults 20-59 years:

- 1. Analgesics (pain relievers)
- 2. Sedatives and antipsychotics
- 3. Antidepressants
- 4. Household cleaning products
- 5. Alcohols

Most common exposures, adults 60 years and older:

- 1. Heart medicines
- 2. Analgesics (pain relievers)
- 3. Sedatives and antipsychotics
- 4. *(tie)* Antidepressants

 Household cleaning products

For more information, contact Angel Bivens, R.Ph., MBA, CSPI, Public Education Coordinator Maryland Poison Center, 220 Arch St., Office Level 1, Baltimore, MD 21201, 410-563-5584, abivens@rx.umaryland.edu