

2017 Statistical Report Queen Anne's County, MD

County accounted for 0.8% of human exposure calls to the Maryland Poison Center

Types of Calls

| Total human exposures | 257 |
|-----------------------|-----|
| < 12 months | 11 |
| 1 year | 52 |
| 2 years | 34 |
| 3 years | 21 |
| 4 years | 9 |
| 5 years | 7 |
| 6-12 years | 21 |
| 13-19 years | 13 |
| 20-59 years | 61 |
| >60 years | 27 |
| Unknown age | 1 |

Animal Exposures 12 Information Calls 58

Reason for exposure

| Unintentional | 222 |
|-------------------------|-----|
| General | 137 |
| Environmental | 6 |
| Occupational | 2 |
| Therapeutic Error | 40 |
| Misuse | 34 |
| Bite or Sting | 2 |
| Food Poisoning | 1 |
| Intentional | 23 |
| Suspected Suicide | 7 |
| Misuse | 7 |
| Abuse | 9 |
| Other | 12 |
| Contamination/tampering | 2 |
| Malicious | 0 |
| Adverse Reaction/Drug | 8 |
| Adverse Reaction/Other | 2 |

Management Site

| On site/non Healthcare Facility | 201 |
|---------------------------------|-----|
| Healthcare Facility | 47 |
| Other/Unknown | 7 |
| Refused Referral | 2 |

Medical Outcome

| No Effect | 69 |
|-----------------|-----|
| Minor Effect | 162 |
| Moderate Effect | 12 |
| Major Effect | 0 |
| Death | 0 |
| Other/Unknown | 14 |

Maryland Poison Center 2017 Statistical Report (cont'd) Queen Anne's County, MD

Most common exposures, children under 6 years:

- 1. Cosmetics and personal care products
- 2. Household cleaning products
- 3. Foreign bodies
- 4. Analgesics (pain relievers)
- 5. *(tie)* Antimicrobials Dietary supplements Heart medicines Pesticides Vitamins

Most common exposures, children 6-19 years:

- 1. *(tie)* Analgesics (pain relievers) Antidepressants
- 3. *(tie)* Cold and cough medicines Stimulants and street drugs
- 5. Eight substances tied with 2 exposures

Most common exposures, adults 20-59 years:

- 1. Analgesics (pain relievers)
- 2. Sedatives and antipsychotics
- 3. Stimulants and street drugs
- 4. Heart medicines
- 5. (tie) Anticonvulsants Antidepressants Chemicals Household cleaning products

Most common exposures, adults 60 years and older:

- 1. Heart medicines
- 2. Food poisoning
- 3. Antimicrobials
- (tie) Household cleaning products Cold and cough medicines Hormones (including antidiabetic and thyroid medicines)