

2023 Statistical Report: Wicomico County, MD

County accounted for 2.7% of human exposure calls to the Maryland Poison Center

Types of Calls

| Call Types | Number of Cases |
|-------------------------|-----------------|
| Total human | 797 |
| exposures | |
| < 12 months | 37 |
| 1 year | 71 |
| 2 years | 81 |
| 3 years | 43 |
| 4 years | 27 |
| 5 years | 18 |
| 6-12 years | 66 |
| 13-19 years | 61 |
| 20-59 years | 253 |
| > 60 years | 115 |
| Unknown age | 25 |
| | |
| | |
| | |
| Animal Exposures | 8 |
| | |
| | |
| | |
| Information Calls | 643 |

Reasons for Exposure

| Exposure | Number of Cases |
|-------------------------|-----------------|
| Unintentional | 534 |
| General | 289 |
| Environmental | 8 |
| Occupational | 14 |
| Therapeutic Error | 152 |
| Misuse | 63 |
| Bite or Sting | 5 |
| Food Poisoning | 2 |
| Unknown | 1 |
| | |
| Intentional | 213 |
| Suspected Suicide | 154 |
| Misuse | 21 |
| Abuse | 34 |
| Unknown | 4 |
| | |
| Other | 50 |
| Contamination/Tampering | 1 |
| Malicious | 1 |
| Adverse Reaction/Drug | 32 |
| Adverse Reaction/Other | 3 |
| Other/Unknown | 13 |

Management Site

| Location | Number of Cases |
|------------------------------------|-----------------|
| On site/non Healthcare Facility | 425 |
| Healthcare Facility | 340 |
| Other | 27 |
| Refused Referral | 5 |

Medical Outcome

| Outcome | Number of Cases |
|-----------------|-----------------|
| No Effect | 261 |
| Minor Effect | 375 |
| Moderate Effect | 87 |
| Major Effect | 25 |
| Death | 2 |
| Other/Unknown | 47 |

2023 Statistical Report: Wicomico County, MD (cont'd)

Most common exposures, children under 6 years:

- 1. Household cleaning products
- 2. Foreign bodies and toys
- 3. Analgesics (pain relievers)
- 4. Cosmetics and personal care products
- 5. Dietary supplements

Most common exposures, children 6-12 years:

- 1. Plants
- 2. (tie) Analgesics (pain relievers); Arts, crafts, and office supplies; Cosmetics and personal care products; Stimulants and street drugs

Most common exposures, children 13-19 years:

- 1. Analgesics (pain relievers)
- 2. Antidepressants
- 3. Sedatives and antipsychotics
- 4. (tie)Antihistamines; Antimicrobials

Most common exposures, adults 20-59 years:

- 1. Analgesics (pain relievers)
- 2. Sedatives and antipsychotics
- 3. Antidepressants
- 4. Heart medicines
- 5. Alcohols

Most common exposures, adults 60 years and older:

- 1. Heart medicines
- 2. Sedatives and antipsychotics
- 3. Antidepressants
- 4. Analgesics (pain relievers)
- 5. Anticonvulsants